

## References

- Coltheart, M. (1981). MRC Psycholinguistic Database. Retrieved from <http://websites.psychology.uwa.edu.au/school/MRCDatabase/mrc2.html>.
- Gathercole, S. E., Hitch, G. J., Service, E., & Martin, A. J. (1997). Phonological short-term memory and new word learning in children. *Developmental Psychology, 33*, 966-979.
- Glueckauf, R. L., Blonder, L. X., Ecklund-Johnson, E., Maher, L., Crosson, B., & Gonzalez-Rothi, L. (2003). Functional Outcome Questionnaire for Aphasia: Overview and preliminary psychometric evaluation. *NeuroRehabilitation, 18*, 281-290.
- Hilari, K., & Byng, S. (2001). Measuring quality of life in people with aphasia: The Stroke Specific Quality of Life Scale. *International Journal of Language Communication Disorders, 36*, 86-91.
- Kendall, D. L., del Toro, C., Nadeau, S. E., Johnson, J., Rosenbek, J., & Velozo, C. (2010, June). The development of a standardized assessment of phonology in aphasia. Paper session presented at the Clinical Aphasiology Conference, Isle of Palm, SC.
- Kendall, D. L., Oelke, M., Brookshire, C. E., & Nadeau, S. E. (2015). The Influence of Phonomotor Treatment on Word Retrieval Abilities in 26 Individuals with Chronic Aphasia: An Open Trial. *Journal of Speech, Language, and Hearing Research, 58*, 798-812.
- Kendall, D. L., Rosenbek, J. C., Heilman, K. M., Conway, T., Klenberg, K., Gonzalez-Rothi, L., & Nadeau, S. E. (2008). Phoneme-based rehabilitation of anomia in aphasia. *Brain and Language, 105*, 1-17.
- Kertesz, A. (1982). *Western Aphasia Battery*. New York, NY: Grune and Stratton.

- Lindamood, C. H., & Lindamood, P. C. (1998). *The Lindamood Phoneme Sequencing Program for Reading, Spelling, and Speech*. Austin, TX: Pro-Ed.
- Minkina, I., Oelke, M., Bislick, L. P., Brookshire, C. E., Hunting Pompon, R., Silkes, J. P., & Kendall, D. L. (2016). An investigation of aphasic naming error evolution following phonomotor treatment, *Aphasiology*, *30*, 962-980
- Nadeau, S. E. (2001). Phonology: A review and proposals from a connectionist perspective. *Brain and Language*, *79*, 511–579.
- Nadeau, S. E. (2012). *The neural architecture of grammar*. Cambridge, MA: MIT Press.
- Nadeau, S. E., Gonzalez-Rothi, L., & Rosenbek, J. C. (2008). *Language rehabilitation from a neural perspective*. In R. Chapey (Ed.), *Language intervention strategies in aphasia and related neurogenic communication disorders* (5th ed., pp. 689–734). Philadelphia, PA: Lippincott, Williams & Wilkins.
- Plaut, D. C. (1996). Relearning after damage in connectionist networks: Toward a theory of rehabilitation. *Brain and Language*, *52*, 25–82.
- Robey, R. R. (2004). A five-phase model for clinical-outcomes research. *Journal of Communication Disorders*, *5*, 401-411.
- Storkel, H. L., Armbrüster, J., & Hogan, T. P. (2006). Differentiating phonotactic probability and neighborhood density in adult word learning. *Journal of Speech, Language, and Hearing Research*, *49*, 1175–1192.
- Vaden, K.I., Halpin, H.R., Hickok, G.S. (2009). *Irvine Phonotactic Online Dictionary*, Version 1.4. [Data file]. Available from <http://www.iphod.com>.
- Vitevitch, M. S., & Luce, P. A. (1999). Probabilistic phonotactics and neighborhood activation in

spoken word recognition. *Journal of Memory and Language*, 40, 374–408.

Wiseburn, B., & Mahoney, K. (2009). A meta-analysis of word-finding treatments for aphasia.

*Aphasiology*, 23, 1338-1352.