

2019 INS CE References

- Andresen, E. N., Ramirez, M. J., Kim, K. H., Dorfman, A. B., Haut, J. S., Klaas, P. A., ... Busch, R. M. (2014). Effects of Surgical Side and Site on Mood and Behavior Outcome in Children with Pharmacoresistant Epilepsy. *Frontiers in Neurology*, *5*.
<https://doi.org/10.3389/fneur.2014.00018>
- Arunkumar, G., Wyllie, E., Kotagal, P., Ong, H. T., & Gilliam, F. (2000). Parent- and patient-validated content for pediatric epilepsy quality-of-life assessment. *Epilepsia*, *41*(11), 1474–1484.
- Berl, M. M., Mayo, J., Parks, E. N., Rosenberger, L. R., VanMeter, J., Ratner, N. B., ... Gaillard, W. D. (2014). Regional differences in the developmental trajectory of lateralization of the language network: Developmental Trajectories of Lateralization of Language. *Human Brain Mapping*, *35*(1), 270–284. <https://doi.org/10.1002/hbm.22179>
- Berl, M. M., Smith, M. L., & Bulteau, C. (2017). ILAE survey of neuropsychology practice in pediatric epilepsy surgery evaluation. *Epileptic Disorders: International Epilepsy Journal with Videotape*, *19*(2), 166–177. <https://doi.org/10.1684/epd.2017.0908>
- Berl, M. M., Zimmaro, L. A., Khan, O. I., Dustin, I., Ritzl, E., Duke, E. S., ... Gaillard, W. D. (2014). Characterization of atypical language activation patterns in focal epilepsy. *Annals of Neurology*, *75*(1), 33–42. <https://doi.org/10.1002/ana.24015>
- Bonelli, S. B., Thompson, P. J., Yogarajah, M., Powell, R. H. W., Samson, R. S., McEvoy, A. W., ... Duncan, J. S. (2013). Memory reorganization following anterior temporal lobe resection: a longitudinal functional MRI study. *Brain*, *136*(6), 1889–1900.
<https://doi.org/10.1093/brain/awt105>
- Busch, R. M., Lineweaver, T. T., Ferguson, L., & Haut, J. S. (2015). Reliable change indices and standardized regression-based change score norms for evaluating neuropsychological change in children with epilepsy. *Epilepsy & Behavior*, *47*, 45–54.
<https://doi.org/10.1016/j.yebeh.2015.04.052>
- Cormack, F., Vargha-Khadem, F., Wood, S. J., Cross, J. H., & Baldeweg, T. (2012). Memory in paediatric temporal lobe epilepsy: Effects of lesion type and side. *Epilepsy Research*, *98*(2–3), 255–259. <https://doi.org/10.1016/j.eplepsyres.2011.09.004>
- D'Argenzio, L., Colonnelli, M. C., Harrison, S., Jacques, T. S., Harkness, W., Vargha-Khadem, F., ... Cross, J. H. (2011). Cognitive outcome after extratemporal epilepsy surgery in childhood. *Epilepsia*, *52*(11), 1966–1972. <https://doi.org/10.1111/j.1528-1167.2011.03272.x>
- Drane, D. L., Loring, D. W., Voets, N. L., Price, M., Ojemann, J. G., Willie, J. T., ... Gross, R. E. (2015). Better object recognition and naming outcome with MRI-guided stereotactic laser amygdalohippocampotomy for temporal lobe epilepsy. *Epilepsia*, *56*(1), 101–113.
<https://doi.org/10.1111/epi.12860>
- Engle, J. A., & Smith, M. L. (2010). Attention and material-specific memory in children with lateralized epilepsy. *Neuropsychologia*, *48*(1), 38–42.
<https://doi.org/10.1016/j.neuropsychologia.2009.08.005>
- Gleissner, U., Clusmann, H., Sassen, R., Elger, C. E., & Helmstaedter, C. (2006). Postsurgical Outcome in Pediatric Patients with Epilepsy: A Comparison of Patients with Intellectual Disabilities, Subaverage Intelligence, and Average-Range Intelligence. *Epilepsia*, *47*(2), 406–414. <https://doi.org/10.1111/j.1528-1167.2006.00436.x>

- Jansen, F. E., Van Huffelen, A. C., Algra, †§Ale, & Van Nieuwenhuizen, O. (2007). Epilepsy Surgery in Tuberous Sclerosis: A Systematic Review: EPILEPSY SURGERY IN TUBEROUS SCLEROSIS. *Epilepsia*, *48*(8), 1477–1484. <https://doi.org/10.1111/j.1528-1167.2007.01117.x>
- Kernan, C. L., Asarnow, R., Siddarth, P., Gurbani, S., Lanphier, E. K., Sankar, R., & Caplan, R. (2012). Neurocognitive profiles in children with epilepsy. *Epilepsia*, *53*(12), 2156–2163. <https://doi.org/10.1111/j.1528-1167.2012.03706.x>
- Lah, S. (2004). Neuropsychological outcome following focal cortical removal for intractable epilepsy in children. *Epilepsy & Behavior*, *5*(6), 804–817. <https://doi.org/10.1016/j.yebeh.2004.08.005>
- Law, N., Benifla, M., Rutka, J., & Smith, M. L. (2017). Verbal memory after temporal lobe epilepsy surgery in children: Do only mesial structures matter? *Epilepsia*, *58*(2), 291–299. <https://doi.org/10.1111/epi.13635>
- Lendt, M., Gleissner, U., Helmstaedter, C., Sassen, R., Clusmann, H., & Elger, C. E. (2002). Neuropsychological Outcome in Children after Frontal Lobe Epilepsy Surgery, *3*(1), 51–59.
- Liang, S., Wang, S., Zhang, J., Ding, C., Zhang, Z., Fu, X., ... Zhang, S. (2012). Long-Term Outcomes of Epilepsy Surgery in School-Aged Children With Partial Epilepsy. *Pediatric Neurology*, *47*(4), 284–290. <https://doi.org/10.1016/j.pediatrneurol.2012.06.014>
- Loring, D. W., & Meador, K. J. (2004). Cognitive side effects of antiepileptic drugs in children. *Neurology*, *62*(6), 872–877.
- Meekes, J., Braams, O. B., Braun, K. P. J., Jennekens-Schinkel, A., van Rijen, P. C., Alpherts, W. C. J., ... van Nieuwenhuizen, O. (2014). Visual memory after epilepsy surgery in children: A standardized regression-based analysis of group and individual outcomes. *Epilepsy & Behavior*, *36*, 57–67. <https://doi.org/10.1016/j.yebeh.2014.04.016>
- Menlove, L., & Reilly, C. (2015). Memory in children with epilepsy: A systematic review. *Seizure*, *25*, 126–135. <https://doi.org/10.1016/j.seizure.2014.10.002>
- Puka, K., & Smith, M. L. (2015). Predictors of long-term quality of life after pediatric epilepsy surgery. *Epilepsia*, *56*(6), 873–881. <https://doi.org/10.1111/epi.13004>
- Puka, K., & Smith, M. L. (2016a). Academic skills in the long term after epilepsy surgery in childhood. *Epilepsy & Behavior*, *62*, 97–103. <https://doi.org/10.1016/j.yebeh.2016.06.003>
- Puka, K., & Smith, M. L. (2016b). Long-term outcomes of behavior problems after epilepsy surgery in childhood. *Journal of Neurology*, *263*(5), 991–1000. <https://doi.org/10.1007/s00415-016-8089-0>
- Puka, K., & Smith, M. L. (2016c). Predictors of language skills in the long term after pediatric epilepsy surgery. *Epilepsy & Behavior*, *63*, 1–8. <https://doi.org/10.1016/j.yebeh.2016.07.031>
- Puka, K., Tavares, T. P., & Smith, M. L. (2017). Development of intelligence 4 to 11 years after paediatric epilepsy surgery. *Journal of Neuropsychology*, *11*(2), 161–173. <https://doi.org/10.1111/jnp.12081>
- Rzezak, P., Guimarães, C. A., Fuentes, D., Guerreiro, M. M., & Valente, K. D. (2012). Memory in children with temporal lobe epilepsy is at least partially explained by executive

- dysfunction. *Epilepsy & Behavior*, 25(4), 577–584.
<https://doi.org/10.1016/j.yebeh.2012.09.043>
- Sepeta, L. N., Berl, M. M., Wilke, M., You, X., Mehta, M., Xu, B., ... Gaillard, W. D. (2016). Age-dependent mesial temporal lobe lateralization in language fMRI. *Epilepsia*, 57(1), 122–130. <https://doi.org/10.1111/epi.13258>
- Sepeta, L. N., Casaletto, K. B., Terwilliger, V., Facella-Ervolini, J., Sady, M., Mayo, J., ... Berl, M. M. (2017). The role of executive functioning in memory performance in pediatric focal epilepsy. *Epilepsia*, 58(2), 300–310. <https://doi.org/10.1111/epi.13637>
- Sherman, E. M. S., Wiebe, S., Fay-McClymont, T. B., Tellez-Zenteno, J., Metcalfe, A., Hernandez-Ronquillo, L., ... Jetté, N. (2011). Neuropsychological outcomes after epilepsy surgery: Systematic review and pooled estimates. *Epilepsia*, 52(5), 857–869.
<https://doi.org/10.1111/j.1528-1167.2011.03022.x>
- Skirrow, C., Cross, J. H., Cormack, F., Harkness, W., Vargha-Khadem, F., & Baldeweg, T. (2011a). Long-term intellectual outcome after temporal lobe surgery in childhood. *Neurology*, 76(15), 1330–1337. <https://doi.org/10.1212/WNL.0b013e31821527f0>
- Skirrow, C., Cross, J. H., Cormack, F., Harkness, W., Vargha-Khadem, F., & Baldeweg, T. (2011b). Long-term intellectual outcome after temporal lobe surgery in childhood. *Neurology*, 76(15), 1330–1337.
- Slick, D. J., Lautzenhiser, A., Sherman, E. M. S., & Eyrl, K. (2006). Frequency of Scale Elevations and Factor Structure of the Behavior Rating Inventory of Executive Function (BRIEF) in Children and Adolescents With Intractable Epilepsy. *Child Neuropsychology*, 12(3), 181–189. <https://doi.org/10.1080/09297040600611320>
- Smith, M. L., & Berl, M. M. (In press). The role and limitations of neuropsychological evaluation. In A. Arzimanoglou, J. H. Cross, W. D. Gaillard, H. Holthausen, P. Jayakar, P. Kahane, & G. Mathern (Eds.), *Pediatric Epilepsy Surgery*. John Libbey Eurotext.
- Sonoda, M., Masuda, H., Shirozu, H., Ito, Y., Akazawa, K., Asano, E., & Kameyama, S. (2017). Predictors of cognitive function in patients with hypothalamic hamartoma following stereotactic radiofrequency thermocoagulation surgery. *Epilepsia*, 58(9), 1556–1565.
<https://doi.org/10.1111/epi.13838>
- Szaflarski, J. P., Gloss, D., Binder, J. R., Gaillard, W. D., Golby, A. J., Holland, S. K., ... Theodore, W. H. (2017). Practice guideline summary: Use of fMRI in the presurgical evaluation of patients with epilepsy: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. *Neurology*, 88(4), 395–402. <https://doi.org/10.1212/WNL.0000000000003532>
- Torres, A. R., Whitney, J., & Gonzalez-Heydrich, J. (2008). Attention-deficit/hyperactivity disorder in pediatric patients with epilepsy: review of pharmacological treatment. *Epilepsy Behav*, 12(2), 217–233.
- Viggedal, G., Olsson, I., Carlsson, G., Rydenhag, B., & Uvebrant, P. (2013). Intelligence two years after epilepsy surgery in children. *Epilepsy & Behavior: E&B*, 29(3), 565–570.
<https://doi.org/10.1016/j.yebeh.2013.10.012>
- Wagner, K., Wethe, J. V., Schulze-Bonhage, A., Trippel, M., Rekate, H., Prigatano, G. P., & Kerrigan, J. F. (2017). Cognition in epilepsy patients with hypothalamic hamartomas. *Epilepsia*, 58, 85–93. <https://doi.org/10.1111/epi.13759>

- Westerveld, M., Sass, K. J., Chelune, G. J., Hermann, B. P., Barr, W. B., Loring, D. W., ... Spencer, D. D. (2000). Temporal lobectomy in children: cognitive outcome. *J. Neurosurg.*, *92*(1), 24–30.
- Yerys, B. E., Jankowski, K. F., Shook, D., Rosenberger, L. R., Barnes, K. A., Berl, M. M., ... Gaillard, W. D. (2009). The fMRI success rate of children and adolescents: typical development, epilepsy, attention deficit/hyperactivity disorder, and autism spectrum disorders. *Human Brain Mapping*, *30*(10), 3426–3435. <https://doi.org/10.1002/hbm.20767>
- Zhang, K., Hu, W., Zhang, C., Meng, F., Chen, N., & Zhang, J. (2013). Predictors of seizure freedom after surgical management of tuberous sclerosis complex: A systematic review and meta-analysis. *Epilepsy Research*, *105*(3), 377–383. <https://doi.org/10.1016/j.eplepsyres.2013.02.016>