

BIBLIOGRAPHY

- Alderman, N., Burgess, P. W., Knight, C., & Henman, C. (2003). Ecological validity of a simplified version of the multiple errands shopping test. *Journal of the International Neuropsychological Society : JINS*, *9*(1), 31–44. <https://doi.org/10.1017/S1355617703910046>
- Allain, P., Etcharry-Bouyx, F., & Verny, C. (2013). Executive functions in clinical and preclinical Alzheimer's disease. *Revue Neurologique*, *169*(10), 695–708. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2013-34852-005&site=ehost-live>
- Amboni, M., Barone, P., & Hausdorff, J. M. (2013). Cognitive contributions to gait and falls: Evidence and implications. <https://doi.org/10.1002/mds.25674>
- Benitez, A., & Gunstad, J. (2012). Poor sleep quality diminishes cognitive functioning independent of depression and anxiety in healthy young adults. *The Clinical Neuropsychologist*, *26*(2), 214–223. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2012-08106-003&site=ehost-live>
- Bernier, A., Beauchamp, M. H., Bouvette-Turcot, A., Carlson, S. M., & Carrier, J. (2013). Sleep and cognition in preschool years: Specific links to executive functioning. *Child Development*, *84*(5), 1542–1553. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2013-31851-006&site=ehost-live>
- Berryman, C., Stanton, T. R., Bowering, K. J., Tabor, A., McFarlane, A., & Moseley, G. L. (2014). Do people with chronic pain have impaired executive function? A meta-analytical review. *Clinical Psychology Review*. <https://doi.org/10.1016/j.cpr.2014.08.003>
- Best, J. R., Davis, J. C., & Liu-Ambrose, T. (2015). Longitudinal analysis of physical performance, functional status, physical activity, and mood in relation to executive function in older adults who fall. *Journal of the American Geriatrics Society*, *63*(6), 1112–1120. <https://doi.org/10.1111/jgs.13444>
- Boyle, P. A., Paul, R. H., Moser, D. J., & Cohen, R. A. (2004). Executive Impairments Predict Functional Declines in Vascular Dementia. *The Clinical Neuropsychologist*, *18*(1), 75–82. <https://doi.org/10.1080/13854040490507172>
- Burgess, P. W., Alderman, N., Evans, J., Emslie, H., & Wilson, B. A. (1998). The ecological validity of tests of executive function. *Journal of the International Neuropsychological Society*, *4*(6), 547–558.
- Burgess, P. W., Veitch, E., de Lacy Costello, A., & Shallice, T. (2000). The cognitive and neuroanatomical correlates of multitasking. *Neuropsychologia*, *38*(6), 848–863. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2000-08043-012&site=ehost-live>
- Burton, C. L., Strauss, E., Bunce, D., Hunter, M. A., & Hultsch, D. F. (2009). Functional abilities in older adults with mild cognitive impairment. *Gerontology*, *55*(5), 570–581. <https://doi.org/10.1159/000228918>
- Cahn-Weiner, D. A., Boyle, P. A., & Malloy, P. F. (2002). Tests of Executive Function Predict Instrumental

- Activities of Daily Living in Community-Dwelling Older Individuals. *Applied Neuropsychology*, 9. Retrieved from http://www.tandfonline.com/doi/abs/10.1207/S15324826AN0903_8#.Vyp1rxUrKR
- Cahn-weiner, D. A., Malloy, P. F., Boyle, P. A., Marran, M., & Salloway, S. (2000). Prediction of functional status from neuropsychological tests in community-dwelling elderly individuals. *Clinical Neuropsychologist*, 14, 187–195. [https://doi.org/10.1076/1385-4046\(200005\)14:2;1-Z;FT187](https://doi.org/10.1076/1385-4046(200005)14:2;1-Z;FT187)
- Chaytor, N., & Schmitter-Edgecombe, M. (2003). The ecological validity of neuropsychological tests: A review of the literature on everyday cognitive skills. *Neuropsychology Review*. <https://doi.org/10.1023/B:NERV.0000009483.91468.fb>
- Chaytor, N., Schmitter-Edgecombe, M., & Burr, R. (2006). Improving the ecological validity of executive functioning assessment. *Archives of Clinical Neuropsychology*, 21, 217–227. <https://doi.org/10.1016/j.acn.2005.12.002>
- Cuberos-Urbano, G., Caracuel, A., Vilar-López, R., Valls-Serrano, C., Bateman, A., & Verdejo-García, A. (2013). Ecological validity of the Multiple Errands Test using predictive models of dysexecutive problems in everyday life. *Journal of Clinical and Experimental Neuropsychology*, 35(3), 329–336. <https://doi.org/10.1080/13803395.2013.776011>
- DeWall, C. N., Baumeister, R. F., Gailliot, M. T., & Maner, J. K. (2008). Depletion makes the heart grow less helpful: Helping as a function of self-regulatory energy and genetic relatedness. *Personality and Social Psychology Bulletin*, 34(12), 1653–1662. Retrieved from 10.1177/0146167208323981
- Duffy, J. D., Campbell III, J. J., Salloway, S. P., & Malloy, P. F. (2001). Regional prefrontal syndromes: A theoretical and clinical overview. In *The frontal lobes and neuropsychiatric illness*. (pp. 113–123). Arlington, VA, US: American Psychiatric Publishing, Inc. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2001-01127-007&site=ehost-live>
- Euler, M. J., Niermeyer, M. A., & Suchy, Y. (2016). Neurocognitive and neurophysiological correlates of motor planning during familiar and novel contexts. *Neuropsychology*, 30(1). <https://doi.org/10.1037/neu0000219>
- Fortier-Brochu, E., Beaulieu-Bonneau, S., Ivers, H., & Morin, C. M. (2012). Insomnia and daytime cognitive performance: a meta-analysis. *Sleep Medicine Reviews*, 16(1), 83–94. <https://doi.org/10.1016/j.smrv.2011.03.008>
- Franchow, E. I., & Suchy, Y. (2015). Naturally-Occurring Expressive Suppression in Daily Life Depletes Executive Functioning. *Emotion*, 15(1), 78–89. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2014-32913-001&site=ehost-live>
- Franchow, E. I., & Suchy, Y. (2017). Expressive Suppression Depletes Executive Functioning in Older Adulthood. *Journal of the International Neuropsychological Society*, 23(4). <https://doi.org/10.1017/S1355617717000054>
- Goverover, Y., Chiaravalloti, N., Gaudino-Goering, E., Moore, N., & DeLuca, J. (2009). The relationship among performance of instrumental activities of daily living, self-report of quality of life, and self-awareness of functional status in individuals with multiple sclerosis. *Rehabilitation Psychology*, 54(1), 60–68. Retrieved from yg243@nyu.edu

- Higginson, C. I., Lanni, K., Sigvardt, K. A., & Disbrow, E. A. (2013). The contribution of trail making to the prediction of performance-based instrumental activities of daily living in Parkinson's disease without dementia. *Journal of Clinical and Experimental Neuropsychology*, 35(5), 530–539. <https://doi.org/10.1080/13803395.2013.798397>
- Huebner, DN; McGarrity, Larrisa.A.; Suchy, Y.; Smith, T.W., Perry, N. (n.d.). Changes in executive function following a stressful interpersonal task are associated with condomless anal intercourse among men who have sex with men. *Annals of Behavioral Medicine*.
- Jefferson, A. L., Cahn-Weiner, D., Boyle, P., Paul, R. H., Moser, D. J., Gordon, N., & Cohen, R. A. (2006). Cognitive predictors of functional decline in vascular dementia. *International Journal of Geriatric Psychiatry*, 21(8), 752–754. Retrieved from angelaj@bu.edu
- Jefferson, A. L., Paul, R. H., Ozonoff, A., & Cohen, R. A. (2006). Evaluating elements of executive functioning as predictors of instrumental activities of daily living (IADLs). *Archives of Clinical Neuropsychology*, 21(4), 311–320. Retrieved from angelaj@bu.edu
- Johnson, J. K., Lui, L., & Yaffe, K. (2007). Executive Function , More Than Global Cognition , Predicts Functional Decline and Mortality in Elderly Women, 62(10), 1134–1141.
- Jongsma, M. L. A., Postma, S. A. E., Souren, P., Arns, M., Gordon, E., Vissers, K., ... van Goor, H. (2011). Neurodegenerative properties of chronic pain: Cognitive decline in patients with chronic pancreatitis. *PLoS ONE*, 6(8). Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2011-20635-001&site=ehost-live>
- Jovanovski, D., Zakzanis, K., Campbell, Z., Erb, S., & Nussbaum, D. (2012). Development of a novel, ecologically oriented virtual reality measure of executive function: the Multitasking in the City Test. *Applied Neuropsychology. Adult*, 19(3), 171–182. <https://doi.org/10.1080/09084282.2011.643955>
- Jovanovski, D., Zakzanis, K., Ruttan, L., Campbell, Z., Erb, S., & Nussbaum, D. (2012). Ecologically valid assessment of executive dysfunction using a novel virtual reality task in patients with acquired brain injury. *Applied Neuropsychology. Adult*, 19(3), 207–220. <https://doi.org/10.1080/09084282.2011.643956>
- Karp, J. F., Reynolds III, C. F., Butters, M. A., Dew, M. A., Mazumdar, S., Begley, A. E., ... Weiner, D. K. (2006). The relationship between pain and mental flexibility in older adult pain clinic patients. *Pain Medicine*, 7, 444–452.
- Kraybill, M. L., & Suchy, Y. (2008). Evaluating the role of motor regulation in figural fluency: Partialing variance in the Ruff Figural Fluency Test. *Journal of Clinical and Experimental Neuropsychology*, 1–10. <https://doi.org/791427198> [pii]10.1080/13803390701874361
- Kraybill, M., & Suchy, Y. (2011). Executive functioning, motor programming, and functional independence: Accounting for variance, people, and time. *The Clinical Neuropsychologist*, 25 (2), 210-223.
- Kraybill, M. L., Thorgusen, S. R., & Suchy, Y. (2013). The Push-Turn-Taptap task outperforms measures of executive functioning in predicting declines in functionality: Evidence-based approach to test validation. *The Clinical Neuropsychologist*, 27, 238–255.

- Lamberts, K. F., Evans, J. J., & Spikman, J. M. (2010). A real-life, ecologically valid test of executive functioning: the executive secretarial task. *Journal of Clinical and Experimental Neuropsychology*, 32(1), 56–65. <https://doi.org/10.1080/13803390902806550>
- Maeir, A., Krauss, S., & Katz, N. (2011). Ecological validity of the Multiple Errands Test (MET) on discharge from neurorehabilitation hospital. *OTJR: Occupation, Participation & Health*, 31, S38–S46. <https://doi.org/10.3928/15394492-20101108-07>
- Manning, K. J., Clarke, C., Lorry, A., Weintraub, D., Wilkinson, J. R., Duda, J. E., & Moberg, P. J. (2012). Medication management and neuropsychological performance in Parkinson's disease. *The Clinical Neuropsychologist*, 26(1), 45–58. <https://doi.org/10.1080/13854046.2011.639312>
- Marshall, G. A., Rentz, D. M., Frey, M. T., Locascio, J. J., Johnson, K. A., & Sperling, R. A. (2011). Executive function and instrumental activities of daily living in mild cognitive impairment and Alzheimer's disease. *Alzheimer's & Dementia : The Journal of the Alzheimer's Association*, 7(3), 300–308. <https://doi.org/10.1016/j.jalz.2010.04.005>
- McAlister, C., & Schmitter-Edgecombe, M. (2013). Naturalistic assessment of executive function and everyday multitasking in healthy older adults. *Neuropsychology, Development, and Cognition. Section B, Aging, Neuropsychology and Cognition*, 20(6), 735–756. <https://doi.org/10.1080/13825585.2013.781990>
- Niermeyer, M. A., Emilie I. Franchow, & Yana Suchy. (2016). Reported expressive suppression in daily life is associated with slower action planning. *Journal of the International Neuropsychological Society*, 22, 671–681. <https://doi.org/10.1017/S1355617716000473>
- Niermeyer, M. A., Suchy, Y., & Ziemnik, R. E. (2017). Motor sequencing in older adulthood: relationships with executive functioning and effects of complexity. *Clinical Neuropsychologist*, 31(3). <https://doi.org/10.1080/13854046.2016.1257071>
- Niermeyer, M. A., Suchy, Y., & Ziemnik, R. E. (2017). Motor sequencing in older adulthood: Relationships with executive functioning and effects of complexity. *The Clinical Neuropsychologist*, 31(3), 598–618.
- Niermeyer, M. A., Ziemnik, R. E., Franchow, E. I., Barron, C., & Suchy, Y. (2018). Greater naturally-occurring expressive suppression is associated with poorer executive functioning and motor-sequence learning among older adults. *Journal of Clinical and Experimental Neuropsychology*. <https://doi.org/10.1080/13803395.2018.1502257>
- Perna, R., Loughan, A. R., & Talka, K. (2012). Executive functioning and adaptive living skills after acquired brain injury. *Applied Neuropsychology: Adult*, 19(4), 263–271. <https://doi.org/10.1080/09084282.2012.670147>
- Puente, A. N., Lindbergh, C. A., & Miller, L. S. (2015). The relationship between cognitive reserve and functional ability is mediated by executive functioning in older adults. *The Clinical Neuropsychologist*, 29(1), 67–81. <https://doi.org/10.1080/13854046.2015.1005676>
- Puente, A. N., Lindbergh, C. A., & Miller, L. S. (2017). Personality's association with IADLs in community dwelling older adults, 950–956. <https://doi.org/10.1002/gps.4243>
- Ranchet, M., Broussolle, E., Poisson, A., & Paire-Ficout, L. (2012). Relationships between cognitive functions and driving behavior in Parkinson's disease. *European Neurology*, 68(2), 98–107. <https://doi.org/10.1159/000338264>

- Rand, D., Basha-Abu Rukan, S., Weiss, P. L. T., & Katz, N. (2009). Validation of the Virtual MET as an assessment tool for executive functions. *Neuropsychological Rehabilitation, 19*(4), 583–602. <https://doi.org/10.1080/09602010802469074>
- Rapp, M. A., Beeri, M. S., Schmeidler, J., Sano, M., Silverman, J. M., & Haroutunian, V. (2005). Relationship of Neuropsychological Performance to Functional Status in Nursing Home Residents and Community-Dwelling Older Adults. *The American Journal of Geriatric Psychiatry, 13*(6), 450–459. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2005-06218-003&site=ehost-live>
- Raskin, S. A., Williams, J., & Aiken, E. M. (2018). A review of prospective memory in individuals with acquired brain injury. *The Clinical Neuropsychologist, 32*(5), 891–921. <https://doi.org/10.1080/13854046.2018.1455898>
- Raskin, S., Buckheit, C., & Sherrod, C. (2010). *MIST Memory for Intentions Test professional manual*. Lutz, Florida: Psychological Assessment Resources.
- Robertson, K., & Schmitter-Edgecombe, M. (2016). Naturalistic tasks performed in realistic environments: a review with implications for neuropsychological assessment. *The Clinical Neuropsychologist, 40*(6)(September), 1–27. <https://doi.org/10.1080/13854046.2016.1208847>
- Schmeichel, B. J. (2007). Attention control, memory updating, and emotion regulation temporarily reduce the capacity for executive control. *Journal of Experimental Psychology: General, 136*(2), 241–255. Retrieved from schmeichel@tamu.edu
- Schmeichel, B. J., & Tang, D. (2015). Individual differences in executive functioning and their relationship to emotional processes and responses. *Current Directions in Psychological Science, 24*(2), 93–98. <https://doi.org/10.1177/0963721414555178>
- Schmeichel, B. J., Vohs, K. D., & Baumeister, R. F. (2003). Intellectual performance and ego depletion: Role of the self in logical reasoning and other information processing. *Journal of Personality and Social Psychology, 85*(1), 33–46. Retrieved from 10.1037/0022-3514.85.1.33
- Schmitter-Edgecombe, M., Parsey, C., & Cook, D. J. (2011). Cognitive correlates of functional performance in older adults: comparison of self-report, direct observation, and performance-based measures. *Journal of the International Neuropsychological Society : JINS, 17*(5), 853–864. <https://doi.org/10.1017/S1355617711000865>
- Shallice, T., & Burgess, P. W. (1991). Deficits in strategy application following frontal lobe damage in man. *Brain, 114*, 727–741.
- Siklos, S., & Kerns, K. A. (2004). Assessing multitasking in children with ADHD using a modified Six Elements Test. *Archives of Clinical Neuropsychology, 19*(3), 347–361. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2004-12947-004&site=ehost-live>
- Stoehr, G. P., Lu, S.-Y., Lavery, L., Bilt, J. Vander, Saxton, J. A., Chang, C.-C. H., & Ganguli, M. (2008). Factors associated with adherence to medication regimens in older primary care patients: The Steel Valley Seniors Survey. *American Journal of Geriatric Pharmacotherapy (AJGP), 6*(5), 255–263. <https://doi.org/10.1016/j.amjopharm.2008.11.001>
- Suchy, Y. (2009). Executive Functioning: Overview, Assessment, and Research Issues for Non-Neuropsychologists. *Annals of Behavioral Medicine, 37*(2), 106–116.

<https://doi.org/10.1007/s12160-009-9097-4>

- Suchy, Y. (2015). *Executive Functions: A comprehensive guide for clinical practice*. New York: Oxford University Press.
- Suchy, Y., & Holdnack, J. A. (2013). Assessing Social Cognition Using the ACS for WAIS-IV and WMS-IV. In *WAIS-IV, WMS-IV, and ACS: Advanced Clinical Interpretation* (pp. 367–406). Elsevier Inc.
- Suchy, Y., Holmes, L. G., Strassberg, D. S., Gillespie, A. A., Nilsen, A. R., Niermeyer, M. ., & Huntach, B. . (in press). The impacts of sexual arousal and suppression of sexual arousal on executive functioning. *Journal of Sex Research*.
- Suchy, Y., Kraybill, M. L., & Franchow, E. (2011). Instrumental activities of daily living among community-dwelling older adults: discrepancies between self-report and performance are mediated by cognitive reserve. *Journal of Clinical and Experimental Neuropsychology*, *33*(1), 92–100.
- Suchy, Y., Kraybill, M. L., & Gidley Larson, J. C. (2010). Understanding design fluency: motor and executive contributions. *Journal of the International Neuropsychological Society : JINS*, *16*, 26–37.
- Suchy, Y., Lee, J. N., & Marchand, W. R. (2013). Aberrant cortico-subcortical functional connectivity among women with poor motor control: Toward uncovering the substrate of hyperkinetic perseveration. *Neuropsychologia*, *51*(11). <https://doi.org/10.1016/j.neuropsychologia.2013.07.004>
- Suchy, Y., Niermeyer, M. A., & Ziemnik, R. E. (2017). *Assessment of Executive Functions in Research*. In *Executive Functions in Health and Disease*. <https://doi.org/10.1016/B978-0-12-803676-1.00009-X>
- Suchy, Y., Williams, P. G., Kraybill, M. L., Franchow, E. I., & Butner, J. (2010). Instrumental activities of daily living among community-dwelling older adults: Personality associations with self-report, performance, and awareness of functional difficulties. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*, *65B*(5), 542–550. <https://doi.org/10.1093/geronb/gbq037>
- Suchy, Y., Ziemnik, R. E., & Niermeyer, M. A. (2017). Assessment of executive functions in clinical settings. In E. Goldberg (Ed.), *Executive Functions in Health and Disease*.
- Tinajero, R. A., Cribbet, M., Rau, H., Bride, D., Williams, P. G., & Suchy, Y. (2018). Nonrestorative sleep in healthy, young adults without insomnia: Associations with executive functioning, fatigue, and pre-sleep arousal. *Sleep Health: Journal of the National Sleep Foundation*, *4*(3), 284–291.
- Vaughan, L., & Giovanello, K. (2010). Executive function in daily life: Age-related influences of executive processes on instrumental activities of daily living. *Psychology and Aging*, *25*(2), 343–355. <https://doi.org/10.1037/a0017729>
- Vaughan, L., Giovanello, K., Gordon, P., Mulligan, N., Panter, A., & Baranek, G. (2008). Executive function in daily life: Age-related influences of executive processes on instrumental activities of daily living.
- Williams, P. G., Suchy, Y., & Kraybill, M. L. (2010). Five-factor model personality traits and executive functioning among older adults. *Journal of Research in Personality*, 485–491.
- Wilson, B. A., Evans, J. J., Emslie, H., Alderman, N., & Burgess, P. (1998). The development of an ecologically valid test for assessing patients with dysexecutive syndrome. *Neuropsychological Rehabilitation*, *8*(3), 213–228.
- Wilson, B., Alderman, N., Burgess, P. W., Emslie, H., & Evans, J. J. (1996). *Behavioural Assessment of the*

Dysexecutive Syndrome (BADS). San Antonio: Pearson .

Wolf, T. J., Morrison, T., & Matheson, L. (2008). Initial development of a work-related assessment of dysexecutive syndrome: the Complex Task Performance Assessment. *Work (Reading, Mass.)*, 31(2), 221–228.